

Traces On Tape

Hysteria Impulse Responses

Metadata

	Filename	Description	Cat	SubCat	Library	Duration	kHz	Bit	Chnls	ID
1	IR-HYST_Mono INT-SPKR Bathroom MIC Bathroom MK4_TOT_HYST-IRs_ZRqr5mJd.wav	SPKR Bathroom MIC Bathroom MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:06.805	48	24	1	ZRqr5mJd
2	IR-HYST_Mono INT-SPKR Bathroom MIC Kitchen door closed CSS _TOT_HYST-IRs_PiPrPEOR.wav	SPKR Bathroom MIC Kitchen door closed CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:06.805	48	24	1	PiPrPEOR
3	IR-HYST_Mono INT-SPKR Bedroom MIC Bathroom door closed MK4_TOT_HYST-IRs_DnOGrNh5.wav	SPKR Bedroom MIC Bathroom door closed MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.810	48	24	1	DnOGrNh5
4	IR-HYST_Mono INT-SPKR Bedroom MIC Bedroom CSS_TOT_HYST-IRs_TMC34brT.wav	SPKR Bedroom MIC Bedroom CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:07.434	48	24	1	TMC34brT
5	IR-HYST_Mono INT-SPKR Corridor MIC Bathroom door closed MK4_TOT_HYST-IRs_kAhjIVX7.wav	SPKR Corridor MIC Bathroom door closed MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.437	48	24	1	kAhjIVX7
6	IR-HYST_Mono INT-SPKR Corridor MIC Corridor close MK4_TOT_HYST-IRs_AEZdgPhd.wav	SPKR Corridor MIC Corridor close MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.994	48	24	1	AEZdgPhd
7	IR-HYST_Mono INT-SPKR Corridor MIC Corridor distant CSS_TOT_HYST-IRs_tnF8ryLJ.wav	SPKR Corridor MIC Corridor distant CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.525	48	24	1	tnF8ryLJ
8	IR-HYST_Mono INT-SPKR Corridor MIC Corridor semi close MK4_TOT_HYST-IRs_xcU4jSGG.wav	SPKR Corridor MIC Corridor semi close MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:06.037	48	24	1	xcU4jSGG
9	IR-HYST_Mono INT-SPKR Corridor MIC Kitchen CSS_TOT_HYST-IRs_NnbejISJ.wav	SPKR Corridor MIC Kitchen CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:07.007	48	24	1	NnbejISJ
10	IR-HYST_Mono INT-SPKR Corridor MIC Kitchen door closed CSS_TOT_HYST-IRs_4vTO4Xvk.wav	SPKR Corridor MIC Kitchen door closed CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.280	48	24	1	4vTO4Xvk
11	IR-HYST_Mono INT-SPKR Kitchen MIC Bathroom door closed MK4_TOT_HYST-IRs_oa8CBDic.wav	SPKR Kitchen MIC Bathroom door closed MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.437	48	24	1	oa8CBDic
12	IR-HYST_Mono INT-SPKR Kitchen MIC Kitchen CSS_TOT_HYST-IRs_8hvZBTaZ.wav	SPKR Kitchen MIC Kitchen CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:08.063	48	24	1	8hvZBTaZ
13	IR-HYST_Mono INT-SPKR Living room MIC Corridor door closed MK4_TOT_HYST-IRs_8gPfxQhk.wav	SPKR Living room MIC Corridor door closed MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:07.669	48	24	1	8gPfxQhk
14	IR-HYST_Mono INT-SPKR Living room MIC Living room MK4_TOT_HYST-IRs_vqQpVrHk.wav	SPKR Living room MIC Living room MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.994	48	24	1	vqQpVrHk
15	IR-HYST_Mono INT-SPKR Living room MIC Windowed room door closed CSS_TOT_HYST-IRs_yV3Zfyzv.wav	SPKR Living room MIC Windowed room door closed CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.842	48	24	1	yV3Zfyzv
16	IR-HYST_Mono INT-SPKR Office MIC Corridor door closed MK4_TOT_HYST-IRs_PcboS4zp.wav	SPKR Office MIC Corridor door closed MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.213	48	24	1	PcboS4zp
17	IR-HYST_Mono INT-SPKR Office MIC Corridor MK4_TOT_HYST-IRs_k5eeJlcH.wav	SPKR Office MIC Corridor MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.408	48	24	1	k5eeJlcH
18	IR-HYST_Mono INT-SPKR Office MIC Kitchen door closed MK4_TOT_HYST-IRs_7tlqDiMD.wav	SPKR Office MIC Kitchen door closed MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.994	48	24	1	7tlqDiMD
19	IR-HYST_Mono INT-SPKR Office MIC Kitchen MK4_TOT_HYST-IRs_fxCuKIOH.wav	SPKR Office MIC Kitchen MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.874	48	24	1	fxCuKIOH
20	IR-HYST_Mono INT-SPKR Office MIC Living room CSS_TOT_HYST-IRs_yA8QKTe8.wav	SPKR Office MIC Living room CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.408	48	24	1	yA8QKTe8
21	IR-HYST_Mono INT-SPKR Office MIC Living room door closed CSS_TOT_HYST-IRs_kCpbem8U.wav	SPKR Office MIC Living room door closed CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.874	48	24	1	kCpbem8U
22	IR-HYST_Mono INT-SPKR Office MIC Office MK4_TOT_HYST-IRs_QuYBltpJ.wav	SPKR Office MIC Office MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.245	48	24	1	QuYBltpJ
23	IR-HYST_Mono INT-SPKR Office MIC Windowed room CSS_TOT_HYST-IRs_iPDO3v6K.wav	SPKR Office MIC Windowed room CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.245	48	24	1	iPDO3v6K
24	IR-HYST_Mono INT-SPKR Office MIC Windowed room door closed CSS_TOT_HYST-IRs_XDEZV8Yb.wav	SPKR Office MIC Windowed room door closed CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.213	48	24	1	XDEZV8Yb
25	IR-HYST_Mono INT-SPKR Staircase MIC Corridor door closed MK4_TOT_HYST-IRs_hMF7u7OL.wav	SPKR Staircase MIC Corridor door closed MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.269	48	24	1	hMF7u7OL
26	IR-HYST_Mono INT-SPKR Staircase MIC Kitchen CSS_TOT_HYST-IRs_q4DgCFIX.wav	SPKR Staircase MIC Kitchen CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.098	48	24	1	q4DgCFIX
27	IR-HYST_Mono INT-SPKR Staircase MIC Staircase 1 floor away CSS_TOT_HYST-IRs_tAdw41L4.wav	SPKR Staircase MIC Staircase 1 floor away CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.397	48	24	1	tAdw41L4
28	IR-HYST_Mono INT-SPKR Staircase MIC Staircase 2 floors away CSS_TOT_HYST-IRs_tF6ZB0Im.wav	SPKR Staircase MIC Staircase 2 floors away CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.831	48	24	1	tF6ZB0Im
29	IR-HYST_Mono INT-SPKR Staircase MIC Staircase close MK4_TOT_HYST-IRs_gLuQIPf3.wav	SPKR Staircase MIC Staircase close MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:07.178	48	24	1	gLuQIPf3
30	IR-HYST_Stereo INT-SPKR Bathroom MIC Bathroom door closed MK4_TOT_HYST-IRs_EBvvRv20.wav	SPKR Bathroom MIC Bathroom door closed MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:06.805	48	24	2	EBvvRv20
31	IR-HYST_Stereo INT-SPKR Bathroom MIC Kitchen door closed CSS _TOT_HYST-IRs_VXoj9XVd.wav	SPKR Bathroom MIC Kitchen door closed CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:06.805	48	24	2	VXoj9XVd
32	IR-HYST_Stereo INT-SPKR Bedroom MIC Bathroom door closed MK4_TOT_HYST-IRs_Ahr53bLV.wav	SPKR Bedroom MIC Bathroom door closed MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.810	48	24	2	Ahr53bLV
33	IR-HYST_Stereo INT-SPKR Bedroom MIC Bedroom CSS_TOT_HYST-IRs_WwqOheD7.wav	SPKR Bedroom MIC Bedroom CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:07.434	48	24	2	WwqOheD7
34	IR-HYST_Stereo INT-SPKR Corridor MIC Bathroom door closed MK4_TOT_HYST-IRs_cYKgtgK4.wav	SPKR Corridor MIC Bathroom door closed MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.437	48	24	2	cYKgtgK4
35	IR-HYST_Stereo INT-SPKR Corridor MIC Corridor close MK4_TOT_HYST-IRs_dJauJh4U.wav	SPKR Corridor MIC Corridor close MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.994	48	24	2	dJauJh4U
36	IR-HYST_Stereo INT-SPKR Corridor MIC Corridor distant CSS_TOT_HYST-IRs_zawrGtfk.wav	SPKR Corridor MIC Corridor distant CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.525	48	24	2	zawrGtfk

Traces On Tape

Hysteria Impulse Responses

Metadata

	Filename	Description	Cat	SubCat	Library	Duration	kHz	Bit	Chnls	ID
37	IR-HYST_Stereo INT-SPKR Corridor MIC Corridor semi close MK4_TOT_HYST-IRs_aoV8F8jy.wav	SPKR Corridor MIC Corridor semi close MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:06.037	48	24	2	aoV8F8jy
38	IR-HYST_Stereo INT-SPKR Corridor MIC Kitchen CSS_TOT_HYST-IRs_WhzXdDBN.wav	SPKR Corridor MIC Kitchen CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:07.007	48	24	2	WhzXdDBN
39	IR-HYST_Stereo INT-SPKR Corridor MIC Kitchen door closed CSS_TOT_HYST-IRs_NZ4GsUdX.wav	SPKR Corridor MIC Kitchen door closed CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.280	48	24	2	NZ4GsUdX
40	IR-HYST_Stereo INT-SPKR Kitchen MIC Bathroom door closed MK4_TOT_HYST-IRs_ljgnoNx3.wav	SPKR Kitchen MIC Bathroom door closed MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.437	48	24	2	ljgnoNx3
41	IR-HYST_Stereo INT-SPKR Kitchen MIC Kitchen CSS_TOT_HYST-IRs_WxM5A3cN.wav	SPKR Kitchen MIC Kitchen CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:08.063	48	24	2	WxM5A3cN
42	IR-HYST_Stereo INT-SPKR Living room MIC Corridor door closed MK4_TOT_HYST-IRs_YE5cJ8mU.wav	SPKR Living room MIC Corridor door closed MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:07.669	48	24	2	YE5cJ8mU
43	IR-HYST_Stereo INT-SPKR Living room MIC Living room MK4_TOT_HYST-IRs_Zb8Trn0A.wav	SPKR Living room MIC Living room MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.994	48	24	2	Zb8Trn0A
44	IR-HYST_Stereo INT-SPKR Living room MIC Windowed room door closed CSS_TOT_HYST-IRs_LH9QYgvv.wav	SPKR Living room MIC Windowed room door closed CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.842	48	24	2	LH9QYgvv
45	IR-HYST_Stereo INT-SPKR Office MIC Corridor door closed MK4_TOT_HYST-IRs_5RcJrpr2.wav	SPKR Office MIC Corridor door closed MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.213	48	24	2	5RcJrpr2
46	IR-HYST_Stereo INT-SPKR Office MIC Corridor MK4_TOT_HYST-IRs_lil7k8Ge.wav	SPKR Office MIC Corridor MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.408	48	24	2	lil7k8Ge
47	IR-HYST_Stereo INT-SPKR Office MIC Kitchen door closed MK4_TOT_HYST-IRs_dcSfRHEU.wav	SPKR Office MIC Kitchen door closed MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.994	48	24	2	dcSfRHEU
48	IR-HYST_Stereo INT-SPKR Office MIC Kitchen MK4_TOT_HYST-IRs_3NYgFiXY.wav	SPKR Office MIC Kitchen MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.874	48	24	2	3NYgFiXY
49	IR-HYST_Stereo INT-SPKR Office MIC Living room CSS_TOT_HYST-IRs_izhO8qAD.wav	SPKR Office MIC Living room CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.408	48	24	2	izhO8qAD
50	IR-HYST_Stereo INT-SPKR Office MIC Living room door closed CSS_TOT_HYST-IRs_MbslZ8vq.wav	SPKR Office MIC Living room door closed CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.874	48	24	2	MbslZ8vq
51	IR-HYST_Stereo INT-SPKR Office MIC Office MK4_TOT_HYST-IRs_LQuSpzU8.wav	SPKR Office MIC Office MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.245	48	24	2	LQuSpzU8
52	IR-HYST_Stereo INT-SPKR Office MIC Windowed room CSS_TOT_HYST-IRs_nJsyzrva.wav	SPKR Office MIC Windowed room CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.245	48	24	2	nJsyzrva
53	IR-HYST_Stereo INT-SPKR Office MIC Windowed room door closed CSS_TOT_HYST-IRs_faYPFw7o.wav	SPKR Office MIC Windowed room door closed CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.213	48	24	2	faYPFw7o
54	IR-HYST_Stereo INT-SPKR Staircase MIC Corridor door closed MK4_TOT_HYST-IRs_6UGJDEK4.wav	SPKR Staircase MIC Corridor door closed MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.269	48	24	2	6UGJDEK4
55	IR-HYST_Stereo INT-SPKR Staircase MIC Kitchen CSS_TOT_HYST-IRs_vczNS8h0.wav	SPKR Staircase MIC Kitchen CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.098	48	24	2	vczNS8h0
56	IR-HYST_Stereo INT-SPKR Staircase MIC Staircase 1 floor away CSS_TOT_HYST-IRs_iTVUdiYq.wav	SPKR Staircase MIC Staircase 1 floor away CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:05.397	48	24	2	iTVUdiYq
57	IR-HYST_Stereo INT-SPKR Staircase MIC Staircase 2 floors away CSS_TOT_HYST-IRs_InrWV53p.wav	SPKR Staircase MIC Staircase 2 floors away CSS	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:04.831	48	24	2	InrWV53p
58	IR-HYST_Stereo INT-SPKR Staircase MIC Staircase close MK4_TOT_HYST-IRs_zqPLqieo.wav	SPKR Staircase MIC Staircase close MK4	ARCHIVED	IMPULSE RESPONSE	HYST-IRs	01:07.178	48	24	2	zqPLqieo